



LAW OFFICES
BRODSKY & SMITH, LLC

9595 WILSHIRE BLVD., SUITE 900
BEVERLY HILLS, CA 90212

877.534.2590
FAX 310.247.0160
www.brodskysmith.com

FEB 19 2019

NEW JERSEY OFFICE
1310 N. KINGS HIGHWAY
CHERRY HILL, NJ 08034.
856.795.7250

NEW YORK OFFICE
240 MINEOLA BOULEVARD
MINEOLA, NY 11501
516.741.4977

PENNSYLVANIA OFFICE
TWO BALA PLAZA, STE 510
BALA CYNWYD, PA 19004
610.667.6200

February 11, 2019

Everport Terminal Services, Inc. Attn: Peter Hsia, Assistant Facility Support Manager 389 Terminal Way Terminal Island, CA 90731	Everport Terminal Services, Inc. c/o CT Corporation System, Agent for Service of Process 818 W 7 th St., Ste. 930 Los Angeles, CA 90017
Everport Terminal Services, Inc. Attn: Peter Hsia, Assistant Facility Support Manager 389 Terminal Way San Pedro, CA 90731	Everport Terminal Services, Inc. Attn: General Counsel 389 Terminal Way Terminal Island, CA 90731
Administrator U.S. Environmental Protection Agency Mail Code: 1101A 1200 Pennsylvania Avenue, N.W. Washington, DC 20460	Executive Officer Regional Water Quality Control Board Los Angeles Region 320 West Fourth Street, Suite 200 Los Angeles, CA 90013
Acting Regional Administrator U.S. EPA, Region 9 75 Hawthorne Street San Francisco, CA 94105	Executive Director State Water Resources Control Board 1001 I Street Sacramento, CA 95814

Re: Notice of Violation and Intent to File Suit under the Clean Water Act

To Whom It May Concern:

Brodsky & Smith, LLC ("Brodsky Smith") represents [Personal privacy ex. (b)(6)] a citizen of the State of California. This letter is to give notice that Brodsky Smith, on [Personal privacy ex. (b)(6)] behalf, intends to file a civil action against Everport Terminal Services, Inc. ("Everport") for violations of the Federal Water Pollution Control Act, 33 U.S.C. § 1251 *et seq.* ("Clean Water Act" or "CWA") at Everport's facility located at 389 Terminal Way, San Pedro, CA 90731 (the "Facility").

[Personal privacy ex. (b)(6)] is a citizen of the State of California who is concerned with the environmental health the Los Angeles Harbor, and uses and enjoys the waters of the Los Angeles Harbor, its inflows, and other areas of the overall San Pedro Bay Watershed, of which the Los Angeles Harbor is a part. [Personal privacy ex. (b)(6)] use and enjoyment of these waters are negatively affected by the pollution caused by Everport's operations. Additionally, [Personal privacy ex. (b)(6)] acts in the interest of the general public to prevent pollution in these waterways, for the benefit of their ecosystems, and for the benefits of all individuals and communities who use these waterways for various recreational, educational, and spiritual purposes.

This letter addresses Everport's unlawful discharge of pollutants from the Facility via indirect flow into the Los Angeles Harbor and the overall San Pedro Bay Watershed.¹ Specifically, investigation of the Facility has uncovered significant, ongoing, and continuous violations of the CWA and the National Pollutant Discharge Elimination System ("NPDES") General Permit No CAS000001 [State Water Resources Control Board] Water Quality Orders No. 2014-0057-DWQ (the "Industrial Stormwater Permit") and 92-12-DWQ (as amended by Order No. 97-03-DWQ) (the "Previous Industrial Stormwater Permit").²

CWA section 505(b) requires that sixty (60) days prior to the initiation of a civil action under CWA section 505(a), a citizen must give notice of his or her intent to file suit. 33 U.S.C. § 1365(b). Notice must be given to the alleged violator, the U.S. Environmental Protection Agency ("EPA"), and the State in which the violations occur. As required by section 505(b), this Notice of Violation and Intent to File Suit provides notice to Everport of the violations that have occurred and which continue to occur at the Facility. After the expiration of sixty (60) days from the date of this Notice of Violation and the Intent to File Suit, [REDACTED] intends to file suit in federal court against Everport under CWA section 505(a) for the violations described more fully below.

During the 60-day notice period, [REDACTED] is willing to discuss effective remedies for the violations noticed in this letter. We suggest that Everport contact [REDACTED] attorneys at Brodsky & Smith within the next twenty (20) days so that these discussions may be completed by the conclusion of the 60-day notice period. Please note that we do not intend to delay the filing of a complaint in federal court, and service of the complaint shortly thereafter, even if discussions are continuing when the notice period ends.

I. THE LOCATION OF THE ALLEGED VIOLATIONS

A. The Facility

Everport's Facility is located at 389 Terminal Way, San Pedro, CA 90731. At the Facility, Everport operates as a container ship unloading/loading terminal and intermodal container transfer facility. At the Facility, the following industrial activities occur: (i) cargo ship loading/unloading; (ii) container loading/unloading; (iii) container storage; (iii) container and equipment washing; (iv) intermodal container transfer; and (v) container and equipment repair.. Other activities carried out in the regular course of business at the facility include storage of fuel and other oils, maintenance, equipment storage, and waste storage. Repair and maintenance activities carried out at the facility include, but are not limited to, electrical, plumbing, roofing, asphalt, concrete, and utilities repairs as well as janitorial duties. Possible pollutants from the Facility include total suspended solids ("TSS"), waste oils, lubricants, fuel, trash, debris, hazardous materials, oil and grease ("O&G"), pH, heavy metals such as iron, aluminum, lead, copper, and zinc, as well as other pollutants. Stormwater from the Facility discharges, indirectly, into the Los Angeles Harbor.

B. The Affected Water

The Los Angeles Harbor and overall San Pedro Bay Watershed are waters of the United States. The CWA requires that water bodies such as the Los Angeles Harbor and overall San Pedro Bay Watershed

¹ Everport's Notice of Intent ("NOI") filed with the Los Angeles Regional Water Quality Control Board ("LARWQCB") lists the receiving waters of the Facility as the "Inner Los Angeles Harbor" via indirect flow. Upon investigation, it is [REDACTED] knowledge and belief that the most immediate receiving water of the Facility is the Los Angeles Harbor, via indirect flow, and that the Los Angeles Harbor is a part of the San Pedro Bay Watershed, which thereafter flows into the Pacific Ocean.

² On April 1, 2014, the State Water Resources Control Board adopted an updated NPDES General Permit for Discharges Associated with Industrial Activity, Water Quality Order No. 2014-57-DWQ, which has taken force or effect on its effective date of July 1, 2015. As of the effective date, Water Quality Order No. 2014-57-DWQ has superseded and rescinded the prior Industrial Stormwater Permit except for purposes of enforcement actions brought pursuant to the prior permit.

meet water quality objectives that protect specific “beneficial uses.” The beneficial uses of the Los Angeles Harbor and overall San Pedro Bay Watershed include commercial and sport fishing, estuarine habitat, fish migration, navigation, preservation of rare and endangered species, water contact and non-contact recreation, shellfish harvesting, fish spawning, and wildlife habitat. Contaminated stormwater from the Facility adversely affects the water quality of the Los Angeles Harbor and overall San Pedro Bay Watershed, and threatens the beneficial uses and ecosystem of these watersheds, which includes habitats for threatened and endangered species.

II. THE FACILITY’S VIOLATIONS OF THE CLEAN WATER ACT

It is unlawful to discharge pollutants to waters of the United States, such as the Los Angeles Harbor, without an NPDES permit or in violation of the terms and conditions of an NPDES permit. CWA § 301(a), 33 U.S.C. § 1311(a); *see also* CWA § 402(p), 33 U.S.C. § 1342(p) (requiring NPDES permit issuance for the discharge of stormwater associated with industrial activities). The Industrial Stormwater Permit authorizes certain discharges of stormwater, conditioned on compliance with its terms.

Everport has submitted a Notice of Intent (“NOI”) to be authorized to discharge stormwater from the Facility under the Industrial Stormwater Permit since as early as 2016, and possibly as early as 2011.³ However, information available to Redacted private information indicates that stormwater discharges from the Facility have violated several terms of the Industrial Stormwater Permit and the CWA. Apart from discharges that comply with the Industrial Stormwater Permit, the Facility lacks NPDES permit authorization for any other discharges of pollutants into waters of the United States.

A. Discharges in Excess of BAT/BCT Levels

The Effluent Limitations of the Industrial Stormwater Permit prohibit the discharge of pollutants from the facility in concentrations above the level commensurate with the application of best available technology economically achievable (“BAT”) for toxic pollutants⁴ and best conventional pollutant control technology (“BCT”) for conventional pollutants.⁵ Industrial Stormwater Permit § I(D)(32), II(D)(2); Previous Industrial Stormwater Permit, Order Part B(3). The EPA has published Benchmark values set at the maximum pollutant concentration present if an industrial facility is employing BAT and BCT, as listed in Attachment 1 to this letter.⁶ These benchmark values are reiterated and incorporated into the Industrial Stormwater Permit. *See* Industrial Stormwater Permit § XI(B) Tables 1-2.

Additionally, the Previous Industrial Stormwater Permit notes that effluent limitation guidelines for several named industrial categories have been established and codified by the Federal Government. *See* Previous Industrial Stormwater Permit pp. VIII. The Previous Industrial Stormwater Permit mandates that for facilities that fall within such industrial categories, compliance with the listed BAT and BCT for the specified pollutants listed therein must be met in order to be in compliance with the Previous Industrial Stormwater Permit. *Id.* Everport falls within these named industrial categories and it must have complied

³ While Everport’s Water Boards Storm Water Multiple Application & Report Tracking System (“SMARTS”) filer page indicate a “status date” of July 14, 2016, Everport has been registered as a corporation with the California Secretary of State since at least March 11, 2011. If Everport was operating the Facility between March 11, 2011 and July 14, 2016 without proper coverage under the Industrial Stormwater Permit, such action is violative of the CWA.

⁴ BAT is defined at 40 C.F.R. § 437.1 *et seq.* Toxic pollutants are listed at 40 C.F.R. § 401.15 and include copper, lead, and zinc, among others.

⁵ BCT is defined at 40 C.F.R. § 437.1 *et seq.* Conventional pollutants are listed at 40 C.F.R. § 401.16 and include BOD, TSS, oil and grease, pH, and fecal coliform.

⁶ The Benchmark values are part of the EPA’s Multi-Sector General Permit (“MSGP”) and can be found at: <https://www.epa.gov/npdes/final-2015-msgp-documents>.

with the effluent limitations found therein in order to have been in compliance with the Previous Industrial Stormwater Permit during its effective period. In addition, the Industrial Stormwater Permit requires dischargers to comply with Effluent Limitations “consistent with U.S. EPA’s Multi Sector General Permit for Stormwater Discharges Associated with Industrial Activity (the “MSGP”)”. *See* Industrial Stormwater Permit § I(D)(33). The MSGP has specific numeric effluent limitations based upon Standard Industrial Classification (“SIC”) codes. Furthermore, these SIC code based benchmark values are reiterated and incorporated into the Industrial Stormwater Permit. *See* Industrial Stormwater Permit § XI(B) Tables 1-2.⁷ Notably, Everport is classified as falling under SIC Code 4491, relating to marine cargo handling, requiring it to be within numerical effluent limitations for (i) pH; (ii) Oil and Grease; (iii) Total Suspended Solids; (iv) Total Zinc; (v) Total Iron; (vi) Total Aluminum; and (vii) Total Lead. Everport also tests for the additional pollutant parameters of (viii) Copper and (ix) Nickel based on the total maximum daily load (“TMDL”) of the receiving water, as discussed in its most recent SWPPP at p. 58. Based on Everport’s self-reporting data and/or lack thereof, Everport has not met this requirement and was in violation of the Previous Stormwater Permit over a period of approximately at least the past three (3) years.

Everport’s self-reporting of industrial stormwater discharges and/or lack thereof show a pattern of exceedances of Benchmark values and/or a failure to adequately monitor numerical pollutant discharge values in every instance of self-reporting. *See* Attachment 2. This pattern of a exceedances of benchmark values and/or a lack of self-reporting indicate that Everport has failed and is failing to employ measures that constitute BAT and BCT in violation of the requirements of the Industrial Stormwater Permit and Previous Industrial Stormwater Permit. [REDACTED] alleges and notifies Everport that its stormwater discharges from the Facility have consistently contained and continue to contain levels of pollutants that exceed benchmark values for TSS, Zinc, Iron, Aluminum, and/or Copper, including annual and/or instantaneous NAL overages for all such parameters within the last five (5) annual reporting periods.

Everport’s ongoing discharges of stormwater containing levels of pollutants above EPA Benchmark values and BAT and BCT based levels of control also demonstrate that Everport has not developed and implemented sufficient Best Management Practices (“BMPs”) at the Facility. Proper BMPs could include, but are not limited to, moving certain pollution-generating activities under cover or indoors capturing and effectively filtering or otherwise treating all stormwater prior to discharge, frequent sweeping to reduce build-up of pollutants on-site, installing filters on downspouts and storm drains, and other similar measures.

Everport’s failure to develop and/or implement adequate pollution controls to meet BAT and BCT and the Facility violates and will continue to violate the CWA and the Industrial Stormwater Permit each and every day Everport’s discharges stormwater without meeting BAT/BCT. [REDACTED] alleges that Everport has discharged stormwater containing excessive levels of pollutants from the Facility to the Los Angeles Harbor during at least every significant local rain event over 0.1 inches in at least the last three (3) years.⁸ Attachment 3 compiles all dates in at least the last three (3) years when a significant rain event occurred. Everport is subject to civil penalties for each violation of the Industrial Stormwater Permit and the CWA within at least the past three (3) years.

B. Discharges Impairing Receiving Waters

The Industrial Stormwater Permit’s Discharge Prohibitions disallow stormwater discharges that cause or threaten to cause pollution, contamination, or nuisance. *See* Industrial Stormwater Permit § III; Previous Industrial Stormwater Permit, Order Part A(2). The Industrial Stormwater Permit also prohibits stormwater discharges to surface or groundwater that adversely impact human health or the environment. *See* Industrial Stormwater Permit § VI(b)-(c); Previous Industrial Stormwater Permit, Order Part C(1).

⁷ Of note, Everport acknowledges this requirement in their most current Stormwater Pollution Prevention Plan (“SWPPP”), at Section “Monitoring Implementation Plan”, at pp. 61-64.

⁸ Significant local rain events are reflected in the rain gauge data available at: <http://www.ncdc.noaa.gov/cdo-web/search>.

Receiving Water Limitations of the Industrial Stormwater Permit prohibit stormwater discharges that cause or contribute to an exceedance of applicable Water Quality Standards ("WQS") contained in a Statewide Water Quality Control Plan or the applicable Regional Water Board's Basin Plan. *See* Industrial Stormwater Permit § VI(a); Previous Industrial Stormwater Permit at Order Part C(2). Applicable WQS are set forth in the California Toxic Rule ("CTR")⁹ and Chapter 3 of the Los Angeles Region (Region 4) Water Quality Control Plan (the "Basin Plan").¹⁰ Exceedances of WQS are violations of the Industrial Stormwater Permit, the CTR, and the Basin Plan.

The Basin Plan establishes WQS for all Inland Surface and Coastal waters of Los Angeles and Ventura Counties, including but not limited to the following:

- Waters shall not contain suspended or settleable material in concentrations that cause nuisance or adversely affect beneficial users.
- Waters shall be free of changes in turbidity that cause nuisance or adversely affect beneficial uses. Increases in natural turbidity attributable to controllable water quality factors shall not exceed 20% where natural turbidity is between 0 and 50 nephelometric turbidity units ("NTU"), and shall not exceed 10% where the natural turbidity is greater than 50 NTU.
- All waters shall be maintained free of toxic substances in concentrations that are toxic to, or that produce detrimental physiological responses in, human, plant, animal, or aquatic life.
- Surface waters shall not contain concentrations of chemical constituents in amounts that adversely affect any designated beneficial use.

██████████ (b)(6) alleges that Everport's stormwater discharges have caused or contributed to exceedances of Receiving Water Limitations in the Industrial Stormwater Permit and the WQS set forth in the Basin Plan and CTR. These allegations are based on Everport's self-reported data submitted to the Los Angeles Regional Water Quality Control Board. These sampling results indicate that Everport's discharges are causing or threatening to cause pollution, contamination, and/or nuisance; adversely impacting human health or the environment; and violating applicable WQS.

██████████ (b)(6) alleges that each day that Everport has discharged stormwater from the Facility, Everport's stormwater has and/or may have contained levels of pollutants that exceeded one or more of the Receiving Water Limitations and/or applicable WQS in the Los Angeles Harbor and overall San Pedro Bay Watershed. ██████████ (b)(6) alleges that Everport has discharged stormwater exceeding Receiving Water Limitations and/or WQS from the Facility to the Los Angeles Harbor and overall San Pedro Bay Watershed during at least every significant local rain event over 0.1 inches in the last three (3) years. *See* Attachment 3. Each discharge from the Facility that violates a Receiving Water Limitation or has caused or contributed, or caused or contributes, to an exceedance of an applicable WQS constitutes a separate violation of the Industrial Stormwater Permit and the CWA. Everport is subject to penalties for each violation of the Industrial Stormwater Permit and the CWA within at least the past three (3) years.

C. Failure to Develop and Implement an Adequate Stormwater Pollution Prevention Plan

The Industrial Stormwater Permit requires dischargers to develop and implement an adequate Storm Water Pollution Prevention Plan ("SWPPP"). *See* Industrial Stormwater Permit, § X(B); Previous

⁹ The CTR is set forth at 40 C.F.R. § 131.38 and is explained in the Federal Register preamble accompanying the CTR promulgation set forth at 65 Fed. Reg. 31, 682 (May 18, 2000).

¹⁰ The Basin Plan is published by the Los Angeles Regional Water Quality Control Board at: http://www.waterboards.ca.gov/losangeles/water_issues/programs/basin_plan/basin_plan_documentation.shtml.

Industrial Stormwater Permit § A(1)(a). The Industrial Stormwater Permit also requires dischargers to make all necessary revisions to existing SWPPPs promptly. *See* Industrial Stormwater Permit, § X(B); Previous Industrial Stormwater Permit at Order Part E(2).

The SWPPP must include, among other requirements, the following: a site map, a list of significant materials handled and stored at the site, a description and assessment of all Everport pollutant sources, a description of the BMPs that will reduce or prevent pollutants in stormwater discharges, specification of BMPs designed to reduce pollutant discharge to BAT and BCT levels, a comprehensive site compliance evaluation completed each reporting year, and revisions to the SWPPP within 90 days after a facility manager determines that the SWPPP is in violation of any requirements of the Industrial Stormwater Permit. *See* Industrial Stormwater Permit, § X(A); Previous Industrial Stormwater Permit Section § A.

Based on information available to Personal
Privacy (b) (5), Everport has failed to prepare and/or implement an adequate SWPPP and/or failed to revise the SWPPP to satisfy each of the requirements of § X(A) of the Industrial Stormwater Permit and/or § A Previous Industrial Stormwater Permit. For example, Everport SWPPP does not include and/or Everport has not implemented adequate BMPs designed to reduce pollutant levels in discharges to BAT and BCT levels in accordance with Section A(8) of the Industrial Stormwater Permit, as evidenced by the data in Attachment 2. For example, Everport has clearly failed to create and implement an adequate the Monitoring and Reporting Program (“MRP”) on a consistent basis for a period of at least three (3) annual reporting periods, as evidenced by its lack of proper testing for all required pollutant parameters on a consistent basis.

Accordingly, Everport has violated the CWA each and every day that it has failed to develop and/or implement an adequate SWPPP meeting all of the requirements of § X(A) of the Industrial Stormwater Permit and/or § A Previous Industrial Stormwater Permit, and Everport will continue to be in violation every day until it develops and implements an adequate SWPPP. Everport is subject to penalties for each violation of the Industrial Stormwater Permit and the CWA occurring within at least the past three (3) years.

D. Failure to Develop and Implement an Adequate Monitoring and Reporting Program and to Perform Annual Comprehensive Site Compliance Evaluations

The Industrial Stormwater Permit requires facility operators to develop and implement a Monitoring and Reporting Program (“MRP”). *See* Industrial Stormwater Permit, § XI; Previous Industrial Stormwater Permit § B(1) and Order Part E(3). The Industrial Stormwater Permit requires that MRP ensure that each the facility’s stormwater discharges comply with the Discharge Prohibitions, Effluent Limitations, and Receiving Water Limitations specified in the Industrial Stormwater Permit. *Id.* Facility operators must ensure that their MRP practices reduce or prevent pollutants in stormwater and authorized non-stormwater discharges as well as evaluate and revise their practices to meet changing conditions at the facility. *Id.* This may include revising the SWPPP as required by § X(A) of the Industrial Stormwater Permit and/or § A Previous Industrial Stormwater Permit.

The MRP must measure the effectiveness of BMPs used to prevent or reduce pollutants in stormwater and authorized non-stormwater discharges, and facility operators must revise the MRP whenever appropriate. *See* Industrial Stormwater Permit, § XI; Previous Industrial Stormwater Permit § at Section B. The Industrial Stormwater Permit requires facility operators to visually observe and collect samples of stormwater discharges from all drainage areas. *Id.* Facility operators are also required to provide an explanation of monitoring methods describing how the facility’s monitoring program will satisfy these objectives. *Id.*

Everport has been operating the Facility with an inadequately developed and/or inadequately implemented MRP, in violation of the substantive and procedural requirements set forth in Section B of the Industrial Stormwater permit. For example, the data in Attachment 2 indicates that Everport’s monitoring program has not ensured that stormwater dischargers are in compliance with the Discharge Prohibitions, Effluent Limitations, and Receiving Water Limitations of the Industrial Stormwater Permit as required by

the Industrial Stormwater Permit, § XI and/or the Previous Industrial Stormwater Permit § B. The monitoring has not resulted in practices at the Facility that adequately reduce or prevent pollutants in stormwater as required by Industrial Stormwater Permit, § XI and/or the Previous Industrial Stormwater Permit § B. Additionally, the Industrial Stormwater Permit requires dischargers to comply with Effluent Limitations “consistent with U.S. EPA’s Multi Sector General Permit for Stormwater Discharges Associated with Industrial Activity (the “MSGP”)”. The MSGP has specific numeric effluent limitations based upon Standard Industrial Classification (“SIC”) codes. Furthermore, these SIC code based benchmark values are reiterated and incorporated into the Industrial Stormwater Permit. *See* Industrial Stormwater Permit § XI(B) Tables 1-2. Notably, Everport is classified as falling under SIC Code 4491, relating to marine cargo handling, requiring it to be within numerical effluent limitations for (i) pH; (ii) Oil and Grease; (iii) Total Suspended Solids; (iv) Total Zinc; (v) Total Iron; (vi) Total Aluminum; and (vii) Total Lead. Everport also tests for the additional pollutant parameters of (viii) Copper and (ix) Nickel based on the TMDL of the receiving water, as discussed in its most recent SWPPP at p. 4. As previously stated, and in clear violation of the terms of the Industrial Stormwater Permit, Everport has consistently reported benchmark exceedances and/or failed to report testing results for any applicable effluent limitation in their annual reports for the past five (5) annual reporting periods. *See* Attachments 2, 3. Therefore, the data in Attachment 2 indicates that Everport’s monitoring program has not effectively identified or responded to compliance problems at the Facility or resulted in effective revision of the BMPs in use or the Facility’s SWPPP to address such ongoing problems as required by Industrial Stormwater Permit, § XI and/or the Previous Industrial Stormwater Permit § B.

As a part of the MRP, the Industrial Stormwater Permit specifies that Facility operators shall collect a total of four (4) stormwater samples throughout an annual reporting period. Specifically the Industrial Stormwater Permit requires, “The discharger to collect and analyze samples from two (2) Qualifying Storm Events (“QSEs”) within the first half of each reporting year (July 1 to December 31), and two (2) QSEs within the second half of each reporting year (January 1 to June 30).” Industrial Stormwater Permit § XI B(2).¹¹ Furthermore, should facility operators fail to collect samples from the first storm event of the wet season, they are still required to collect samples from two other storm events during the wet season, and explain in the annual report why the first storm event was not sampled. *Id.* Despite this requirement Everport has failed to submit two (2) QSEs for the first half of the 2017-2018 annual reporting period, as required under the Industrial Stormwater Permit. Everport has not submitted adequate explanations for such inadequate and insufficient data.

The Industrial Stormwater Permit also requires dischargers to include laboratory reports with their Annual Reports submitted to the Regional Board. *See* Industrial Stormwater Permit, Fact Sheet § O and/or Previous Industrial Stormwater Permit § B(14). Notably, Everport has submitted laboratory reports for the 2017-2018 annual reporting period showing testing for less than the required complete two (2) QSEs in the first half of the annual reporting period, as required under the Industrial Stormwater Permit. Everport has not submitted adequate explanations for such missing data.

As a result of Everport’s failure to adequately develop and/or implement an adequate MRP at the Facility, Everport has been in daily and continuous violation of the Industrial Stormwater Permit and the CWA each and every day for at least the past three (3) years. These violations are ongoing. Everport will continue to be in violation of the monitoring and reporting requirement each day that Everport fails to adequately develop and/or implement an effective MRP at the Facility. Everport is subject to penalties for each violation of the Industrial Stormwater Permit and the CWA occurring for at least the last three (3) years.

¹¹ Under the Previous Industrial Stormwater Permit, only two samplings per year was required, specifically, from “the first hour of discharge from (1) the first storm event of the wet season, and (2) at least one other storm event in the wet season.” *See* Previous Industrial Stormwater Permit § B(5)(a). Of note, Everport acknowledge this requirement in their most current SWPPP, at Section “Monitoring Implementation Plan”, pp. 61-64.

E. Failure to Comply with Level 1 and Level 2 Exceedance Response Action Requirements

When the Industrial Stormwater Permit became effective on July 1, 2015, all permitted facilities were placed into “baseline status” for all parameters listed in Table 2 of the Industrial Stormwater Permit. Industrial Stormwater Permit § XII(B). Permitted facilities are placed into “Level 1 Status” if sampling indicates that an annual or instantaneous NAL exceedance for an applicable pollutant parameter has occurred. Industrial Stormwater Permit § XII(C). Level 1 status commences on July 1 following the reporting year during which the NAL exceedance(s) occurred, and the discharger enters the Exceedance Response Action (“ERA”) process. *Id.* The ERA process requires the discharger to conduct an evaluation, assisted by a Qualified Industrial Storm Water Practitioner (a “QISP”), of the industrial pollutant sources at the facility that are or may be related to the NAL exceedance(s) by October 1 following the commencement of Level 1 Status. *Id.* The evaluation must also include the identification of the “corresponding BMPs in the SWPPP and any additional BMPs and SWPPP revisions necessary to prevent future NAL exceedances and to comply with the requirements of the General Permit.” *Id.* Furthermore, the Industrial Stormwater Permit states, “Although the evaluation may focus on the drainage areas where the NAL exceedance(s) occurred, all drainage areas shall be evaluated.” *Id.* If such remediation is not effective, and NAL exceedances for the affected pollutant parameter occurs for a second consecutive annual reporting period, the Facility is placed into “Level 2” status, requiring further remediation, analysis, reporting, and action. *Id.*

Based upon Level 1 and Level 2 status evaluations, a discharger is required, as soon as practicable but no later than January 1 following the commencement of Level 1 or Level 2 status, to prepare a Level 1 or Level 2 ERA Report. Industrial Stormwater Permit § XII(C)(2). The Level 1 and/or Level 2 ERA Report(s) must be prepared by a QISP and include a summary of the Level 1 and/or Level 2 ERA evaluation(s) and a detailed description of the SWPPP revisions and any additional BMPs for each parameter that exceeded an NAL. *Id.* The SWPPP revisions and additional BMP development and implementation must also be completed by January 1 following the commencement of Level 1 and/or Level 2 status, and the Level 1 or Level 2 status discharger is required to submit via SMARTS the Level 1 or Level 2 ERA Report certifying the evaluation has been conducted, and SWPPP revisions and BMP implementation have been completed. *Id.* The certification is also required to provide the QISP’s identification number, name, and contact information no later than January 1 following commencement of level 1 status. *Id.*

A permitted discharger’s Level 1 status for a parameter will return to Baseline status if a Level 1 or Level 2 ERA report has been completed, all identified additional BMPs have been implemented, and results from four (4) consecutive QSEs that were sampled subsequent to BMP implementation indicate no additional NAL exceedances for that parameter. Industrial Stormwater Permit § XII(C)(2)(b). A permitted discharger will enter “Level 2 status” if there are any NAL exceedances for the same parameter when the discharger is in Level 1 status. Industrial Stormwater Permit § XII(D).

Everport’s Facility had NAL annual average exceedances for Zinc, Iron, Aluminum, and Copper, during the 2016-2017 Annual Reporting period that resulted in Level 1 status for those pollutant parameters at the Facility. The additional BMPs identified in Everport’s submitted Level 1 ERA Report were to be completed by April 1, 2018 as per the Level 1 ERA Report completed on December 6, 2017, however sampling conducted by Everport throughout the 2017-2018 Annual Reporting period indicate that the facility continues to discharge stormwater containing impermissibly high levels of Zinc, Iron, Aluminum, and Copper. In sum, rather than conducting a thorough evaluation to identify the BMPs in the SWPPP that correspond to the NAL exceedances at the Facility, and identify what additional BMPs are needed to prevent future NAL exceedances, Everport submitted an inadequate Level 1 ERA report that was ineffective and did not comply with the Industrial Stormwater Permit and has led to further NAL overages.

Furthermore, at the conclusion of the 2017-2018 Annual Reporting Period, Everport had annual NAL overages for the pollutant parameters of TSS, iron, zinc, and aluminum resulting changing the Facility’s status for TSS to Level 1 and the Facility’s status for iron, zinc, and aluminum to Level 2. Notably, for the pollutant parameter of TSS Everport was required to create a Level 1 ERA evaluation for

by October 1, 2018, was required to revise the SWPPP for the Facility to include any BMP revisions contained in the Level 1 ERA by January 1, 2019, and to submit the Level 1 ERA report and revised SWPPP to the regional water board by February 1, 2019. In addition, for the parameters of iron, zinc, and aluminum, Everport was required to submit to the regional water board and certify a Level 2 ERA action plan by January 1, 2019. Notably, Everport has failed to submit any such Level 1 ERA evaluation for TSS or Level 2 ERA action plan for iron, zinc, or aluminum as of the date of this notice, thus further evidencing Everport's violation of the exceedance response action scheme and the IGP as a whole.

As a result of Everport's failure to adequately develop, implement, and/or submit adequate Level 1 ERA and Level 2 ERA reports at the Facility, Everport has been in daily and continuous violation of the Industrial Stormwater Permit and the CWA each and every day for the 2017-2018 and 2018-2019 annual reporting period, continuing a pattern of violations stretching back at least three (3) years. These violations are ongoing. Everport will continue to be in violation of the monitoring and reporting requirement each day that Everport fails to adequately develop and/or implement an effective Level 2 ERA at the Facility. Everport is subject to penalties for each violation of the Industrial Stormwater Permit and the CWA occurring for the last three (3) years.

F. Unpermitted Discharges

Section 301(a) of the CWA prohibits the discharge of any pollutant into waters of the United States unless the discharge is authorized by a NPDES Permit issued pursuant to Section 402 of the CWA. *See* 33 U.S.C. §§ 1311(a), 1342. Everport sought coverage for the Facility under the Industrial Stormwater Permit, which states that any discharge from an industrial facility not in compliance with the Industrial Stormwater Permit "must be either eliminated or permitted by a separate NPDES permit." Industrial Stormwater Permit, § III; Previous Industrial Stormwater Permit, Order Part A(1). Because Everport has not obtained coverage under a separate NPDES permit and has failed to eliminate discharges not permitted by the Industrial Stormwater Permit, each and every discharge from the Facility described herein not in compliance with the Industrial Stormwater Permit has constituted and will continue to constitute a discharge without CWA Permit coverage in violation of section 301(a) of the CWA, 33 U.S.C. § 1311(a)

IV. PERSON RESPONSIBLE FOR THE VIOLATIONS

Everport Terminal Services, Inc. is the person responsible of the violations at the Facility described above.

V. NAME AND ADDRESS OF NOTICING PARTY

Personal privacy ex. (b)(6)
Personal privacy ex. (b)(6)
Personal privacy ex. (b)(6)
Personal privacy ex. (b)(6)

VI. COUNSEL


Evan J. Smith, Esquire
esmith@brodskysmith.com
Ryan P. Cardona, Esquire
rcardona@brodskysmith.com
Brodsky & Smith, LLC
9595 Wilshire Blvd., Suite 900
Beverly Hills, CA 90212
T: (877) 534-2590
F: (310) 247-0160

VII. REMEDIES

██████████ intends, at the close of the 60-day notice period or thereafter, to file a citizen suit under CWA section 505(a) against Everport for the above-referenced violations. ██████████ will seek declaratory and injunctive relief to prevent further CWA violations pursuant to CWA sections 505(a) and (d), 33 U.S.C. § 1365(a) and (d), and such other relief as permitted by law. In addition, ██████████ will seek civil penalties pursuant to CWA section 309(d), 33 U.S.C. § 1319(d), and 40 C.F.R. § 19.4, against Everport in this action. The CWA imposes civil penalty liability of up to \$51,570 per day per violation for violations occurring after November 2, 2015, and \$37,500 per day per violation for violations occurring after January 12, 2009 but before November 2, 2015. 33 U.S.C. § 1319(d); 40 C.F.R. § 19.4. ██████████ will seek to recover attorneys' fees, experts' fees, and costs in accordance with CWA section 505(d), 33 U.S.C. § 1365(d).

As noted above, ██████████ and his Counsel are willing to meet with you during the 60-day notice period to discuss effective remedies for the violations noted in this letter. Please contact me to initiate these discussions.

Sincerely,



Evan J. Smith, Esquire
esmith@brodskysmith.com
Ryan P. Cardona, Esq.
rcardona@brodskysmith.com
Brodsky & Smith, LLC
9595 Wilshire Boulevard, Suite 900
Beverly Hills, CA
T: (877) 534-2590
F: (310) 247-0160

**ATTACHMENT 1: EPA BENCHMARKS AND WATER QUALITY STANDARDS FOR
DISCHARGES TO SALTWATER**

EPA Benchmarks, Multi-Sector General Permit ("MSGP"), & IGP

Parameter	Units	Benchmark Value	Source
pH	pH Units	Less than 6.0 Greater than 9.0 (Instantaneous)	MSGP; Industrial Stormwater Permit § XI(B) Tables 1-2
Oil & Grease	Mg/L	25 (Instantaneous) 15 (Annual)	MSGP; Industrial Stormwater Permit § XI(B) Tables 1-2
Total Suspended Solids	Mg/L	400 (Instantaneous) 100 (Annual)	MSGP; Industrial Stormwater Permit § XI(B) Tables 1-2
Zinc, Total	Mg/L	0.26** (Annual)	MSGP; Industrial Stormwater Permit § XI(B) Tables 1-2
Aluminum, Total	Mg/L	0.75 (Annual)	MSGP; Industrial Stormwater Permit § XI(B) Tables 1-2
Iron, Total	Mg/L	1.0 (Annual)	MSGP; Industrial Stormwater Permit § XI(B) Tables 1-2
Lead, Total	Mg/L	0.262** (Annual)	MSGP; Industrial Stormwater Permit § XI(B) Tables 1-2
Copper, Total	Mg/L	0.0332** + (Annual)	MSGP; Industrial Stormwater Permit § XI(B) Tables 1-2
Nickel, Total	Mg/L	1.02 ** + (Annual)	MSGP; Industrial Stormwater Permit § XI(B) Tables 1-2

** The NAL is the highest value used by the U.S. EPA based on their water hardness.

+ While not an SIC required Pollutant Parameters, Everport tests for Copper and Nickel based on the TMDL of the receiving water.

**ATTACHMENT 2: TABLE OF EXCEEDENCES FOR
EVERPORT TERMINAL SERVICES, INC.**

The following table contains each stormwater sampling result which exceeds EPA Benchmarks and/or causes or contributes to an exceedance of CFR and/or Basin Plan Water Quality Standards. All EPA Benchmarks and CFR and/or Basin Plan Water Quality Standards are listed in Attachment 1. All stormwater samples were reported by the Facility during the past three (3) years.

Reporting Period	Sample Date	Parameter	Result	Unit
2018-2019	1/5/2019	TSS	100.0	Mg/L
2018-2019	1/5/2019	Zinc	3.0	Mg/L
2018-2019	1/5/2019	Copper	0.3	Mg/L
2018-2019	1/5/2019	Aluminum	2.4	Mg/L
2018-2019	1/5/2019	Iron	5.4	Mg/L
2018-2019	1/5/2019	Zinc	1.5	Mg/L
2018-2019	1/5/2019	Copper	0.047	Mg/L
2018-2019	1/5/2019	Aluminum	1.4	Mg/L
2018-2019	1/5/2019	Iron	3.3	Mg/L
2018-2019	1/5/2019	TSS	150.0	Mg/L
2018-2019	1/5/2019	Zinc	2.4	Mg/L
2018-2019	1/5/2019	Copper	0.073	Mg/L
2018-2019	1/5/2019	Aluminum	2.0	Mg/L
2018-2019	1/5/2019	Iron	4.6	Mg/L
2018-2019	1/5/2019	TSS	120.0	Mg/L
2018-2019	1/5/2019	Zinc	2.1	Mg/L
2018-2019	1/5/2019	Copper	0.094	Mg/L
2018-2019	1/5/2019	Aluminum	2.9	Mg/L
2018-2019	1/5/2019	Iron	7.7	Mg/L
2018-2019	12/5/2018	TSS	180.0	Mg/L
2018-2019	12/5/2018	Zinc	1.9	Mg/L
2018-2019	12/5/2018	Copper	0.15	Mg/L
2018-2019	12/5/2018	Aluminum	3.9	Mg/L
2018-2019	12/5/2018	Iron	9.1	Mg/L
2018-2019	12/5/2018	Zinc	4.6	Mg/L
2018-2019	12/5/2018	Copper	0.094	Mg/L
2018-2019	12/5/2018	Aluminum	1.4	Mg/L
2018-2019	12/5/2018	Iron	4.1	Mg/L
2018-2019	12/5/2018	O&G	18.7	Mg/L
2018-2019	12/5/2018	TSS	220.0	Mg/L
2018-2019	12/5/2018	Zinc	3.0	Mg/L
2018-2019	12/5/2018	Copper	0.12	Mg/L
2018-2019	12/5/2018	Aluminum	3.7	Mg/L
2018-2019	12/5/2018	Iron	7.3	Mg/L
2018-2019	12/5/2018	Zinc	2.8	Mg/L
2018-2019	12/5/2018	Copper	0.13	Mg/L
2018-2019	12/5/2018	Aluminum	1.5	Mg/L
2018-2019	12/5/2018	Iron	4.8	Mg/L
2018-2019	11/29/2018	Zinc	1.8	Mg/L
2018-2019	11/29/2018	Copper	0.2	Mg/L
2018-2019	11/29/2018	Aluminum	2.0	Mg/L
2018-2019	11/29/2018	Iron	4.2	Mg/L
2018-2019	11/29/2018	Zinc	1.4	Mg/L
2018-2019	11/29/2018	Copper	0.05	Mg/L
2018-2019	11/29/2018	Iron	1.3	Mg/L

2018-2019	11/29/2018	Zinc	2.4	Mg/L
2018-2019	11/29/2018	Copper	0.07	Mg/L
2018-2019	11/29/2018	Aluminum	0.93	Mg/L
2018-2019	11/29/2018	Iron	2.4	Mg/L
2018-2019	11/29/2018	Zinc	1.5	Mg/L
2018-2019	11/29/2018	Copper	0.066	Mg/L
2018-2019	11/29/2018	Iron	1.2	Mg/L
2017-2018	3/22/2018	Zinc	0.28	Mg/L
2017-2018	3/22/2018	Zinc	0.76	Mg/L
2017-2018	3/22/2018	Aluminum	1.1	Mg/L
2017-2018	3/22/2018	Iron	2.5	Mg/L
2017-2018	3/22/2018	Zinc	1.0	Mg/L
2017-2018	3/22/2018	Copper	0.034	Mg/L
2017-2018	3/22/2018	Aluminum	1.5	Mg/L
2017-2018	3/22/2018	Iron	3.8	Mg/L
2017-2018	3/22/2018	Zinc	0.8	Mg/L
2017-2018	3/22/2018	Aluminum	1.5	Mg/L
2017-2018	3/22/2018	Iron	2.8	Mg/L
2017-2018	1/8/2018	TSS	250	Mg/L
2017-2018	1/8/2018	Zinc	5.6	Mg/L
2017-2018	1/8/2018	Copper	0.34	Mg/L
2017-2018	1/8/2018	Aluminum	6.2	Mg/L
2017-2018	1/8/2018	Iron	13.0	Mg/L
2017-2018	1/8/2018	TSS	640	Mg/L
2017-2018	1/8/2018	Zinc	6.1	Mg/L
2017-2018	1/8/2018	Copper	0.19	Mg/L
2017-2018	1/8/2018	Lead	0.59	Mg/L
2017-2018	1/8/2018	Copper	12.0	Mg/L
2017-2018	1/8/2018	Aluminum	24.0	Mg/L
2017-2018	1/8/2018	TSS	280	Mg/L
2017-2018	1/8/2018	Zinc	6.6	Mg/L
2017-2018	1/8/2018	Copper	0.19	Mg/L
2017-2018	1/8/2018	Aluminum	4.7	Mg/L
2017-2018	1/8/2018	Iron	11.0	Mg/L
2017-2018	1/8/2018	TSS	380	Mg/L
2017-2018	1/8/2018	Zinc	4.6	Mg/L
2017-2018	1/8/2018	Copper	0.16	Mg/L
2017-2018	1/8/2018	Aluminum	7.4	Mg/L
2017-2018	1/8/2018	Iron	16.0	Mg/L
2016-2017	2/17/2017	TSS	130	Mg/L
2016-2017	2/17/2017	Iron	3.2	Mg/L
2016-2017	2/17/2017	Aluminum	0.93	Mg/L
2016-2017	2/17/2017	Iron	1.9	Mg/L
2016-2017	2/17/2017	TSS	140	Mg/L
2016-2017	2/17/2017	Iron	2.4	Mg/L
2016-2017	2/17/2017	Iron	2.3	Mg/L
2016-2017	2/13/2017	Zinc	0.52	Mg/L
2016-2017	2/13/2017	Aluminum	0.88	Mg/L
2016-2017	2/13/2017	Iron	1.8	Mg/L
2016-2017	2/13/2017	Zinc	0.27	Mg/L
2016-2017	12/15/2016	Zinc	0.79	Mg/L
2016-2017	12/15/2016	Copper	0.065	Mg/L
2016-2017	12/15/2016	Aluminum	2.1	Mg/L

2016-2017	12/15/2016	Iron	4.5	Mg/L
2016-2017	12/15/2016	Zinc	0.73	Mg/L
2016-2017	12/15/2016	Aluminum	0.76	Mg/L
2016-2017	12/15/2016	Iron	1.9	Mg/L
2016-2017	12/15/2016	TSS	290	Mg/L
2016-2017	12/15/2016	Zinc	1.3	Mg/L
2016-2017	12/15/2016	Copper	0.066	Mg/L
2016-2017	12/15/2016	Aluminum	3.2	Mg/L
2016-2017	12/15/2016	Iron	8.1	Mg/L
2016-2017	12/15/2016	TSS	200	Mg/L
2016-2017	12/15/2016	Zinc	1.8	Mg/L
2016-2017	12/15/2016	Copper	0.093	Mg/L
2016-2017	12/15/2016	Aluminum	2.8	Mg/L
2016-2017	12/15/2016	Iron	6.3	Mg/L
2016-2017	11/25/2016	Zinc	0.63	Mg/L
2016-2017	11/25/2016	Copper	0.062	Mg/L
2016-2017	11/25/2016	Aluminum	1.0	Mg/L
2016-2017	11/25/2016	Iron	2.1	Mg/L
2016-2017	11/25/2016	Zinc	0.79	Mg/L
2016-2017	11/25/2016	Copper	0.076	Mg/L
2016-2017	11/25/2016	Aluminum	1.4	Mg/L
2016-2017	11/25/2016	Iron	3.7	Mg/L
2016-2017	11/25/2016	Zinc	1.6	Mg/L
2016-2017	11/25/2016	Copper	0.06	Mg/L
2016-2017	11/25/2016	Aluminum	1.1	Mg/L
2016-2017	11/25/2016	Iron	3.2	Mg/L
2016-2017	11/25/2016	TSS	170	Mg/L
2016-2017	11/25/2016	Zinc	0.87	Mg/L
2016-2017	11/25/2016	Copper	0.049	Mg/L
2016-2017	11/25/2016	Aluminum	1.0	Mg/L
2016-2017	11/25/2016	Iron	2.2	Mg/L

* Everport has failed to submit testing results or laboratory reports for the requisite two (2) QSEs due for the first half of the 2017-2018 annual reporting periods, and has currently submitted testing for only one (1) QSE for the second half of the 2018-2019 annual reporting periods.

* Everport has recorded annual average NAL exceedances for Zinc, Copper, Aluminum, and Iron in the 2016-2017 annual reporting period, annual average NAL exceedances for TSS, Zinc, Copper, Aluminum, and Iron in the 2017-2018 annual reporting period, and current testing indicates that it will have annual average NAL exceedances for Zinc, Copper, Aluminum, and Iron in the 2018-2019 annual reporting period.

* If Everport has been operating at the facility since 2011, it has been in violation of the CWA for failing to submit a Notice of Intent to Discharge Stormwater until 2016.

* As indicated above, Everport has failed to properly comply with the Level 1 and Level 2 ERA requirements to properly address the above listed overages.

**ATTACHMENT 3: ALLEGED DATES OF EXCEEDANCES BY
EVERPORT TERMINAL SERVICES, INC.
January 1, 2016 – January 27, 2019**

Days with precipitation two-tenths of an inch or greater, as reported by NOAA's National Climatic Data Center, Stations: Torrance Airport, CA US, GHCND:USW00003122, when a stormwater discharge from the Facility is likely to have occurred. <http://www.ncdc.noaa.gov/cdo-web/search>

2016	2017	2018	2019
1/5	1/5	1/8	1/6
1/6	1/9	1/9	1/7
1/7	1/10	2/13	1/12
1/10	1/11	2/27	1/14
1/31	1/12	3/3	1/15
2/18	1/19	3/11	1/16
3/6	1/20	3/15	1/17
3/7	1/22	3/17	
3/11	1/23	3/21	
4/8	2/3	3/22	
5/6	2/6	4/19	
10/24	2/7	10/13	
10/31	2/11	11/22	
11/26	2/17	11/29	
11/27	2/18	11/30	
12/16	2/20	12/6	
12/21	3/22		
12/22	4/8		
12/24	9/4		
12/30	11/5		